

# CYANTEK CORPORATION

PAGE 1 OF 4

## MATERIAL SAFETY DATA SHEET

### CR-17

#### SECTION I MATERIAL INFORMATION

**MANUFACTURER:**

CYANTEK CORPORATION  
3055 OSGOOD COURT  
FREMONT, CA 94538 (510) 651-3341

**24 HOUR EMERGENCY RESPONSE**

CHEMTREC: 800-424-9300 OR 202-483-7676

TRADE NAME AND SYNONYMS: CR-17 Chromium Etchant

CAS NUMBER: N/A

CHEMICAL FAMILY: Acid / Oxidizer

FORMULA:  $\text{CH}_3\text{COOH} + \text{Ce}(\text{NH}_4)_2(\text{NO}_3)_6 + \text{H}_2\text{O}$

**NFPA RATING**

HEALTH: 2  
FIRE: 0  
REACTIVITY: 2

0=LEAST, 1=SLIGHT, 2=MODERATE,  
3=SERIOUS, 4=SEVERE

#### SECTION II HAZARDOUS INGREDIENTS

<u>INGREDIENTS</u>	<u>% wt)</u>	<u>EXPOSURE LIMITS</u>	<u>CAS NUMBER</u>
Acetic Acid	7%	10 ppm TLV (ACGIH)	64-19-7
Ceric Ammonium Nitrate	10%	None Established	16774-21-3

#### SECTION III PHYSICAL AND CHEMICAL CHARACTERISTICS

MOLECULAR WEIGHT:	N/A	SOLUBILITY IN WATER:	Complete
BOILING POINT (F):	212	SPECIFIC GRAVITY (g/ml):	1.08
FREEZING POINT (F):	Approx. 32	APPEARANCE & COLOR:	Orange / Red Liquid
VAPOR PRESSURE (mm Hg):	N/A	ODOR:	Slight Vinegar Odor
VAPOR DENSITY (Air =1):	N/A		
PERCENT VOLATILES (by vol):	9%		

# CYANTEK CORPORATION

## CR-17

PAGE 2 OF 4

### SECTION IV

### FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): N/A (TAG CLOSED CUP)

EXPLOSION LIMIT (% by vol.): N/A LOWER: UPPER:

#### EXTINGUISHING MEDIA:

This substance is not combustible but is very reactive.  
Use water fog or carbon dioxide.

#### SPECIAL FIREFIGHTING PROCEDURES:

Use water spray to cool exposed containers.  
Block sewers in the path of spreading spill to prevent entry.  
Remove containers of material to cool areas.  
Prevent the boiling of this formulation.

#### FIREFIGHTERS SHOULD WEAR:

Wear goggles.  
Wear rubber gloves and boots.  
Wear acid protective clothing.  
Wear self-contained breathing apparatus.

#### UNUSUAL FIRE AND EXPLOSION HAZARDS:

No explosion hazard.  
Dangerous when heated to decomposition. Emits toxic fumes.  
Material is not combustible, but is hazardous if concentrated by evaporation.

### SECTION V

### HEALTH HAZARD INFORMATION

#### LISTED AS CARCINOGEN:

Not listed as carcinogen.

#### EFFECTS OF OVEREXPOSURE:

Eye contact is very irritating and can be corrosive.  
Ingestion causes severe burns of mouth and stomach.  
Prolonged contact with skin may cause a burn.

#### FIRST AID PROCEDURES:

##### EYE CONTACT:

Hold eyelids open and flush with plenty of water.  
Get medical care.

##### SKIN CONTACT:

Flush affected areas with plenty of water.  
If irritation persists after washing, get medical attention.  
Remove contaminated clothing. Do not scrub.

##### INHALATION:

Move to fresh air.  
Consult a physician if prolonged exposure occurs.

##### INGESTION:

Give large amounts of water.  
Get medical attention immediately.

# CYANTEK CORPORATION

## CR-17

Page 3 OF 4

### SECTION VI

### REACTIVITY DATA

#### STABILITY:

Stable under normal conditions.

#### INCOMPATIBILITY:

Incompatible with strong caustics.

This formulation contains water so it will react with water-reactive substances.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

Releases toxic gases if boiled.

Releases flammable and toxic corrosive gases when heated to evaporation.

#### HAZARDOUS POLYMERIZATION:

No hazardous polymerization expected.

### SECTION VII

### SPILL OR LEAK PROCEDURES

#### STEPS TO BE TAKEN:

Contain the spill by diking or absorbing the liquid.

Ventilate area of spill or leak.

Persons with no protective equipment/clothes should be restricted from areas of spill/leak.

Avoid skin contact with substance.

Handling should be the same as for all corrosive acids.

Do not allow this substance to enter into the sewer system.

#### WASTE DISPOSAL:

Dispose in approved disposal site following federal, state, local regulations.

It does not contain heavy metals.

Empty containers could be disposed in regular disposal site after triple rinse.

### SECTION VIII

### SPECIAL PROTECTION

#### PERSONAL PROTECTIVE EQUIPMENT

Use gloves and splash-proof safety goggles.

Eye wash fountain should be available.

Use protective clothing of rubber or similar nonpermeable material.

Use NIOSH-approved respirator for acid vapors.

#### VENTILATION:

Do not use dilution ventilation.

Do not use dry dust collectors.

### SECTION IX

### SPECIAL PRECAUTIONS

Store in a cool place.

Avoid skin contact or breathing the vapors of this formulation.

Chemical is very reactive. Store away from other chemicals.

# CYANTEK CORPORATION

## CR-17

PAGE 4 OF 4

### SECTION X

### REGULATORY INFORMATION

#### SARA/TITLE III DATA (For Ingredients)

CERCLA HAZARDOUS SUBSTANCES: Acetic Acid (5000#)  
(WITH REPORTABLE QUANTITIES)

EXTREMELY HAZARDOUS SUBSTANCES: None

TOXIC CHEMICALS (SECTION 313): None

#### DOT INFORMATION

HAZARD CLASS: Corrosive

PROPER SHIPPING NAME: Corrosive Liquid, Acidic, Inorganic N.O.S. (Acetic Acid, Ceric Ammonium Nitrate)

UN/NA NUMBER: UN 3264

#### TSCA INVENTORY (For Ingredients)

TSCA INVENTORY: All ingredients on TSCA inventory.

#### PROPOSITION 65 STATUS (For Ingredients)

PROP. 65 LIST: No ingredients on Prop. 65 list.

THE INFORMATION SUPPLIED IS GIVEN IN GOOD FAITH BY CYANTEK CORPORATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE.